



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|---|-------------|----------------------|----------------------------------|------------------------|
| 10/694,153 | 10/27/2003 | Eric Edward Lennon | KCX-1359 (18231) | 3016 |
| 7590 Mr. Stephen E. Bondura Dority & Manning, P.A. P.O. Box 1449 Greenville, SC 29602 | | | EXAMINER BUTLER, PATRICK NEAL | |
| | | | ART UNIT 1791 | PAPER NUMBER |
| | | | MAIL DATE 08/27/2008 | DELIVERY MODE PAPER |

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/694,153

Applicant(s)

LENNON ET AL.

Examiner

Patrick Butler

Art Unit

1791

Period for Reply -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 02 June 2008.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-11 and 13-23 is/are pending in the application.
- 4a) Of the above claim(s) 6-10 and 17-22 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-5, 11, 13-16 and 23 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
- Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
- Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

DETAILED ACTION

Response to Appeal Brief

In view of Applicant's remarks in the Appeal Brief filed 02 June 2008, prosecution of the instant application is re-opened upon further consideration of Epstein et al. (US Patent No. 3,052,009). As such, the finality of the rejection of the last Office action is withdrawn and a new non-final rejection is presented below. Claims 1-11 and 13-23 are pending in the instant application with Claims 6-10 and 17-22 withdrawn from consideration.

Claim Rejections - 35 USC § 112

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claim 23 is rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention.

With respect to Claim 23, the claim requires the force of attenuation to be provided "air consisting of attenuation air only entering... from the drawing slot sidewall opposite...." The Examiner interprets this claim language to mean that no other attenuation air may contribute to the attenuation force. The Specification's teaching is limited to requiring that some air come from only the opposing sidewall (see Specification, page 20, lines 24 and 25). Since Claim 23 does preclude additional attenuation air the Specification does not preclude additional attenuation air, the claim is

Art Unit: 1791

therefore beyond the scope of the originally filed Specification. For clarity, the following chart shows Claim language and Specification language and the corresponding bounds of the claim and scope of the Specification.

| | Claim 23 | Applicant's Specification |
|---------------------------|--|--|
| Interpreted text | "...wherein the pneumatic attenuation force is provided by air consisting of attenuation air only entering the drawing slot from the drawing slot sidewall opposing the drawing slot sidewall upon which the electrostatic charging unit is located." (Claim 3, lines 14-16) | "...utilizing attenuation air entering the fiber drawing unit only from the opposing sidewall of the attenuation chamber or fiber drawing slot." (see Specification, page 20, lines 24 and 25) |
| Examiner's Interpretation | Only air from the opposing sidewall may be present; there may be no other attenuation air present than the air coming from the opposing sidewall. The term "consisting" precludes other attenuation air from being present. | There must be at least some attenuation air present which only came from the opposing sidewall. |

Double Patenting

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir.

Art Unit: 1791

1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 1, 11, and 23 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1, 5, and 20 of copending Application No. 10/325,140. Although the conflicting claims are not identical, they are not patentably distinct from each other because they claim forming fiber, electrostatically directing it, and forming a web.

This is a provisional obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

Claims 1, 11, and 23 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claim 1 of copending Application No. 10/687,006. Although the conflicting claims are not identical, they are not patentably distinct from each other because they claim forming fiber, redirecting it, which would include electrostatically, and forming a web.

This is a provisional obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1 and 3 are rejected under 35 U.S.C. 103(a) as being unpatentable over Haynes '071 (WO 02/52071) in view of Maggio '134 (WO 00/65134 A1; US Patent No. 6,966,762 B1 relied upon for translation and citations) and Epstein et al. (US Patent No. 3,052,009).

With respect to Claim 1, Haynes '071 teaches providing a plurality of fibers 12, subjecting the fibers to a pneumatic attenuation force in a drawing slot 14, the attenuation force imparting a velocity to the fibers, subjecting the fibers to an applied electrostatic charge before the fibers at the end of the draw slot using an electrostatic charging unit 20 and 22 with oppositely directed components (each charging unit including an emitter device and a target device) (see Fig. 1), and collecting the fibers into a web on a moving surface 26.

Haynes '071 does not expressly teach providing a diffusion chamber.

Maggio teaches providing a diffusion chamber 6 after the drawing slot 5.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine Maggio '134's diffusion chamber with Haynes '071 nonwoven web process in order to adjust the width of the bundle of fibers and impact speed of the filaments on the receiving belt (see col. 3, lines 39-43).

Haynes '071 does not expressly teach having two or more oppositely directed electrostatic charging units such that at least one emitter device is configured on each side of the fibers so that an electrostatic charge is generated from opposite directions transverse to the direction of travel of the plurality of fibers.

Epstein teaches alternating the electrostatic charge from one side to another and back to the first side material (two or more oppositely directed electrostatic charging units such that at least one emitter device is configured on each side of the fibers so that an electrostatic charge is generated from opposite directions transverse to the direction of travel of the plurality of fibers) (see figs. 7 and 8), and further that the particular placement and arrangement of electrodes is familiar to the ordinary artisan (see col. 3, lines 39-44).

It would have been prima facie obvious to one of ordinary skill in the art at the time of the invention to incorporate the method of Epstein into that of Haynes in order to provide the ability to vary the crimp to produce greater softness (Epstein, 3:3-6).

With respect to Claim 3, Maggio '134's sidewalls are unvented (See Fig. 3, Ref. No. 15).

Claim 2 is rejected under 35 U.S.C. 103(a) as being unpatentable over Haynes '071 (WO 02/52071) in view of Maggio '134 (WO 00/65134 A1; US Patent No. 6,966,762 B1 relied upon for translation and citations) and Epstein et al. (US Patent No. 3,052,009) as applied to Claim 1, and further in view of Trimble (WO 93/21370).

With respect to Claim 2, Haynes '071 and Maggio '134 teach a process of making a non-woven as previously described.

Haynes '071 and Maggio '134 do not appear to expressly teach having electrostatic charging units that are in a staggered configuration.

Trimble teaches making the electrostatic charging units locations staggered up and down rather than all in a single line (see Fig. 4, Ref. No. 74 and page 15, lines 24-27).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine Trimble's charging unit positions with Haynes '071's and Maggio '134's non-woven web forming process in order to form a more even distribution of filaments in the web (see Trimble, page 20, lines 14-16) and because it is an alternative embodiment of a known charging unit configuration.

Claims 4 and 5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Haynes '071 (WO 02/52071) in view of Maggio '134 (WO 00/65134 A1; US Patent No. 6,966,762 B1 relied upon for translation and citations) Epstein et al. (US Patent No. 3,052,009) as applied to Claim 1, and further in view of Haynes '379 (US Patent No. 6,117,379).

With respect to Claim 4, Haynes '071 and Maggio '134 teach a process of making a non-woven as previously described.

Haynes '071 and Maggio do not appear to expressly teach that the pneumatic attenuation force is provided by perturbed attenuation air.

Haynes '379 teaches using a bar arrangement 10 in front of airflow, which causes turbulent (perturbed) gas flow (see Haynes '379 col. 1, lines 62-67).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine Haynes '379's bar arrangement in front of the air flow of the drawing chambers 16 of Haynes '071 and Maggio '134 in order to quench or cool via better penetration of the gas among the filaments (see Haynes '379 col. 1, lines 62-67). This would reduce time spent between die and slot for quenching or cooling because some or more quenching would occur inside the slot.

With respect to Claim 5, Haynes '071 and Maggio '134 teach a process of making a non-woven as previously described.

Haynes '071 and Maggio '134 do not appear to expressly teach at least one of the opposed diverging sidewalls comprises at least one vortex generator.

Haynes '379 teaches using a bar arrangement 10 in front of airflow, which causes turbulent (perturbed) gas flow (see Haynes '379 col. 1, lines 62-67).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine Haynes '379's bar arrangement in front of the air flow of the (Maggio '134's) diffusion chamber 14 of Haynes '071 and Maggio '134 because it would cause gas flow turbulence (see Haynes '379 col. 1, lines 62-67), and it is desirous to slow down the air flow at the exit of the diffusion chamber in order to distribute the filaments randomly over a receiving belt (see Maggio '134, col. 1, lines 55-57).

Claim 11 is rejected under 35 U.S.C. 103(a) as being unpatentable over Maggio '381 (FR 2,825,381; US Patent No. 6,974,316 B2 relied upon for translation and

citations) in view of Haynes '071 (WO 02/52071) and Epstein et al. (US Patent No. 3,052,009).

With respect to Claim 11, Maggio teaches providing a plurality of fibers F, subjecting the fibers to a pneumatic attenuation force in a drawing slot (see Fig. 3, at Ref. No. 13), reducing the velocity of the fibers in a diffusion chamber 6, subjecting the fibers to an applied electrostatic charge 17 while the fibers are in the diffusion chamber, and collecting the fibers on a moving web surface 7.

Maggio '381 does not appear to expressly teach each charging unit including an emitter device and a target device and at least one electrostatic charging unit is located upon each of the diverging sidewalls.

Haynes '071 teaches that subjecting the fibers to an electrostatic charging unit 18 and 22 with oppositely directed components (each charging unit including an emitter device and a target device) (see Fig. 1).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to use Haynes '071's oppositely directed charging units in the diverging sidewalls of Maggio '381 in order to give improvements maximum overall voltage (see Haynes '071, page 16, Table 1), improve formation (page 16, lines 33-35), and because it is a known configuration for electrostatic charging.

Maggio '381 in view of Haynes '071 does not expressly teach having two or more oppositely directed electrostatic charging units such that at least one emitter device is configured on each side of the fibers so that an electrostatic charge is generated from opposite directions transverse to the direction of travel of the plurality of fibers.

Epstein teaches alternating the electrostatic charge from one side to another and back to the first side material (having two or more oppositely directed electrostatic charging units such that at least one emitter device is configured on each side of the fibers so that an electrostatic charge is generated from opposite directions transverse to the direction of travel of the plurality of fibers) (see figs. 7 and 8), and further that the particular placement and arrangement of electrodes is familiar to the ordinary artisan (see col. 3, lines 39-44).

It would have been *prima facie* obvious to one of ordinary skill in the art at the time of the invention to incorporate the method of Epstein into that of Maggio '381 in order to provide the ability to vary the crimp to produce greater softness (Epstein, 3:3-6).

Claims 11 and 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Schmit (WO 02/34990 A1; USPAP 2004/0028763 A1 relied upon for translation and citations) in view of Epstein et al. (US Patent No. 3,052,009).

With respect to Claim 11, Schmit teaches forming fibers [0004], subjecting the fibers to pneumatic attenuation force in a drawing slot, the attenuation force imparting a velocity to the fibers [0004], reducing the velocity of the fibers in a diffusion chamber formed between opposed diverging sidewalls [0004], subjecting the fibers to an applied electrostatic charge while the fibers are in the diffusion chamber by one electrostatic charging unit with oppositely directed components 11 and 8, with 11 located upon a diverging sidewall 15 and 8 located on the other diverging sidewall 14 (each charging unit including an emitter device and a target device) (see [0006], [0020], [0021], and fig.

2 and 3), and collecting the fibers into a web on a moving forming surface (see Fig. 1, Ref. No. 7).

Schmit does not expressly teach having two or more oppositely directed electrostatic charging units such that at least one emitter device is configured on each side of the fibers so that an electrostatic charge is generated from opposite directions transverse to the direction of travel of the plurality of fibers.

Epstein teaches alternating the electrostatic charge from one side to another and back to the first side material (having two or more oppositely directed electrostatic charging units such that at least one emitter device is configured on each side of the fibers so that an electrostatic charge is generated from opposite directions transverse to the direction of travel of the plurality of fibers) (see figs. 7 and 8), and further that the particular placement and arrangement of electrodes is familiar to the ordinary artisan (see col. 3, lines 39-44).

It would have been *prima facie* obvious to one of ordinary skill in the art at the time of the invention to incorporate the method of Epstein into that of Schmit in order to provide the ability to vary the crimp to produce greater softness (Epstein, 3:3-6).

With respect to Claim 15, Schmit teaches that the diffusers can have no openings (unvented) (see [0010]. Though Schmit states “preferably” with respect to having vents, this is merely a preferred embodiment.

Claim 13 is rejected under 35 U.S.C. 103(a) as being unpatentable over Maggio ‘381 (FR 2,825,381; US Patent No. 6,974,316 B2 relied upon for translation and

citations) in view of Haynes '071 (WO 02/52071) and Epstein et al. (US Patent No. 3,052,009) as applied to Claim 11, and further in view of Trimble (WO 93/21370).

With respect to Claim 13, Maggio '381 teaches a process of making a non-woven as previously described.

Maggio '381 does not appear to expressly teach having one electrostatic charging unit located substantially closer to the diffusion chamber than at least one other electrostatic charging unit.

Trimble teaches making the electrostatic charging units locations staggered (substantially closer to the diffusion chamber than at least one other electrostatic charging unit) (see Fig. 4, Ref. No. 74 and page 15, lines 24-27).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine Trimble's charging unit positions with Maggio '381's non-woven web forming process in order to form a more even distribution of filaments in the web (see Trimble, page 20, lines 14-16) and because it is an alternative embodiment of a known charging unit configuration.

Claim 13 is rejected under 35 U.S.C. 103(a) as being unpatentable over Schmit (WO 02/34990 A1; USPAP 2004/0028763 A1 relied upon for translation and citations) in view of Epstein et al. (US Patent No. 3,052,009) as applied to Claim 11, and further in view of Trimble (WO 93/21370).

With respect to Claim 13, Schmit teaches a process of making a non-woven as previously described.

Schmit does not appear to expressly teach having one electrostatic charging unit located substantially closer to the diffusion chamber than at least one other electrostatic charging unit.

Trimble teaches making the electrostatic charging units locations staggered (substantially closer to the diffusion chamber than at least one other electrostatic charging unit) (see Fig. 4, Ref. No. 74 and page 15, lines 24-27).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine Trimble's charging unit positions with Schmit's non-woven web forming process in order to form a more even distribution of filaments in the web (see Trimble, page 20, lines 14-16) and because it is an alternative embodiment of a known charging unit configuration.

Claim 14 is rejected under 35 U.S.C. 103(a) as being unpatentable over Maggio '381 (FR 2,825,381; US Patent No. 6,974,316 B2 relied upon for translation and citations) in view of Haynes '071 (WO 02/52071) and Epstein et al. (US Patent No. 3,052,009) as applied to Claim 11 above, and further in view of Haynes '379 (US Patent No. 6,117,379).

With respect to Claim 14, Maggio '381 teaches making a nonwoven web as previously described but does not appear to expressly teach that the pneumatic attenuation force is provided by perturbed attenuation air.

Haynes '379 teaches using a bar arrangement 10 in front of airflow, which causes turbulent (perturbed) gas flow (see Haynes '379 col. 1, lines 62-67).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine Haynes '379's bar arrangement in front of the air flow of the Maggio '381 in order to quench or cool via better penetration of the gas among the filaments (see Haynes '379 col. 1, lines 62-67). This would reduce time spent between die and slot for quenching or cooling because some or more quenching would occur inside the slot.

Claims 14 and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Schmit (WO 02/34990 A1; USPAP 2004/0028763 A1 relied upon for translation and citations) and Epstein et al. (US Patent No. 3,052,009) as applied to Claim 11, and further in view of Haynes '379 (US Patent No. 6,117,379).

With respect to Claim 14, Schmit teaches a process of making a non-woven as previously described.

Schmit does not appear to expressly teach that the pneumatic attenuation force is provided by perturbed attenuation air.

Haynes '379 teaches using a bar arrangement 10 in front of airflow, which causes turbulent (perturbed) gas flow (see Haynes '379 col. 1, lines 62-67).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine Haynes '379's bar arrangement in front of the air flow of the slot of Schmit in order to quench or cool via better penetration of the gas among the filaments (see Haynes '379 col. 1, lines 62-67). This would reduce time spent between die and slot for quenching or cooling because some or more quenching would occur inside the slot.

With respect to Claim 16, Schmit teaches a process of making a non-woven as previously described.

Schmit does not appear to expressly teach that at least one of the opposed diverging sidewalls comprises at least one vortex generator.

Haynes '379 teaches using a bar arrangement 10 in front of airflow, which causes turbulent (perturbed) gas flow (see Haynes '379 col. 1, lines 62-67).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine Haynes '379's bar arrangement in front of the air flow of the from the lateral openings 16 of the diffusion chamber 14 of Schmit because it would cause gas flow turbulence (see Haynes '379 col. 1, lines 62-67), which would spread the fiber curtain, it is desirous to spread the curtain since it increases uniformity of the web (see Schmit [0004]).

Claim 23 is rejected under 35 U.S.C. 103(a) as being unpatentable over Maggio '134 (WO 00/65134 A1; US Patent No. 6,966,762 B1 relied upon for translation and citations) in view of Davis et al. (US Patent No. 6,660,218 B2).

With respect to Claim 23, Maggio '134 teaches providing a plurality of fibers F, subjecting the fibers to an attenuation force in a drawing slot (at Fig. 3, Ref. No. 13), subjecting the fibers to a electrostatic charging unit 11 located on the sidewall, reducing the velocity of the fibers in a diffusion chamber being formed substantially between opposed diverging sidewalls 15, and collecting the fibers onto a web of a moving surface 7.

Maggio '134 does not appear to expressly teach providing attenuation force by providing air consisting of attenuation air only entering the drawing slot from the drawing slot sidewall.

Davis teaches providing air from a nozzle to direct filaments with one air nozzle (attenuation air only entering the drawing slot from one slot sidewall) (see col. 1, lines 37-51).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine Davis's attenuation air supply configuration from a slot sidewall with Maggio '134's teaching of attenuation in order to minimize cost of supplied plant air and to minimizing non-uniformity in the laydown process (see Davis, col. 1, lines 14-34). Moreover, it would have been obvious to one of ordinary skill in the art at the time the invention was made to combine Davis's use of the attenuation to direct the filaments (see Davis, col. 1, lines 37-51) with the air toward Maggio's electrostatic charging unit 11 because Davis provides additional direction control to achieve Maggio's process of subjecting the filaments to the charging unit 11.

Response to Arguments

Applicant argues with respect to the 35 USC § 112 rejections. Applicant's arguments appear to be on the grounds that:

1) The specification precludes attenuation air from any sidewall other than the one opposite the electrostatic charging unit.

Applicant argues with respect to the 35 USC § 103 rejections. Applicant's arguments appear to be on the grounds that:

2) Kisler's electrostatic emitters are not employed on individual fibers.

3) The electrostatic emitters of Kisler are used to remove the charge on a web instead.

4) Maggio '134 fails to teach an electrostatic discharge unit in the slot and Davis does not teach an electrostatic charging unit.

The Applicant's arguments are addressed as follows:

1) As further clarified above in the Claim Rejections - 35 USC § 112 section, the specification only requires attenuation air from the sidewall opposite the electrostatic charging unit. The specification does not preclude additional attenuation air from being present.

2 and 3) Applicant's arguments with respect to Kisler's electrostatic emitters being employed on a web rather than individual fibers has been fully considered and are persuasive. Therefore, the rejection has been withdrawn. However, upon further consideration, a new ground(s) of rejection is made in view of Epstein et al. (US Patent No. 3,052,009).

4) As described above, Davis teaches providing air from a nozzle to direct filaments with one air nozzle (attenuation air only entering the drawing slot from one slot sidewall) (see col. 1, lines 37-51) and Maggio '134 teaches providing a plurality of fibers F, subjecting the fibers to an attenuation force in a drawing slot (at Fig. 3, Ref. No. 13) and subjecting the fibers to a electrostatic charging unit 11 located on the sidewall.

Conclusion

The prior art made of record and relied upon is moreover considered pertinent to applicant's disclosure as it was relied upon in a related application: Epstein et al. (US Patent No. 3,052,009).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Patrick Butler whose telephone number is (571) 272-8517. The examiner can normally be reached on Mon.-Thu. 7:30 a.m.-5 p.m. and alternating Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Christina Johnson can be reached on (571) 272-1176. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Application/Control Number: 10/694,153

Page 18

Art Unit: 1791

Examiner, Art Unit 1791

/Christina Johnson/

Supervisory Patent Examiner, Art Unit 1791